Claims

1. The combination of a display with an interactive terminal comprising:

a large area electronic display able to exhibit large scale images viewable at substantial distances by passers by, said display mounted on a base;

an interactive terminal computer having at least one peripheral device enabling interactive access to store data in said interactive terminal computer;

such display connected to said computer which generates signals alternatively producing a display image occupying the complete area of said electronic display in one mode, and in another mode, generating display images confined to a lower section of said electronic display;

said interactive terminal computer having at least one peripheral connected thereto enabling interactive use by reference to said display image confined to said lower section of said electronic display.

- 2. The combination according to claim 1 further including a pair of screen panels, each mounted on a respective side of said lower section of said electronic display.
- 3. The combination according to claim 2 wherein said screen panels are electronically changeable from a transparent to an opaque state, said panels electronically controlled by said computer to be opaque during use of said interactive terminal computer.

1			4.	The combination according to claim 1 wherein said electronic display is
2		capable of a to	ouch scre	een function, to at least partially enable control of said interactive terminal
3		computer.		
4				
5			5.	The combination according to claim 4, further including a keyboard for
6		control of said	linterac	tive terminal computer.
7				
8			6.	The combination according to claim 1 further including an internet
9		connection to	said inte	eractive terminal computer.
0				•
1			7.	The combination according to claim 6 wherein video signals for exhibiting
2	The Art of	said one mode	e display	images on said complete area of said electronic display are loadable into
13	15 June 1	said computer	via said	l internet connection.
14				
15	hi hi		8.	The combination according to claim 1 further including a motion-
16	h.k	proximity dete	ector ge	nerating a signal upon approach of a passerby to a predetermined closeness,
17		said computer	respon	sive thereto to modify a display image normally exhibited by said electronic
18		display.		
19				
20			9.	The combination according to claim 1 wherein said electronic display is
21		switched from	n said or	ne mode to said other mode upon initial use of an interactive terminal

computer peripheral device.

1			10.	The combination according to claim 8 wherein said normal display is
2		resumed upon	retreat	of any passerby away from said kiosk.
3				
4			11.	A method of using an electronic display both as an electronic billboard
5		and as a displa	y for ar	interactive terminal comprising the step of exhibiting a large scale image
6		on a large area	electro	nic display;
7			couplin	ng an interactive terminal computer to said electronic display; and
8			switch	ing to a reduced area display exhibited by a portion of the area of said
9		electronic disp	olay con	apprising displays generated by interactive terminal computer.
0				
11	A. S. Marie and The Lord Land Land		12.	The method according to claim 11 further including the step of activating
12		chromogenic p	privacy	panels arranged to create a privacy space adjacent said portion of said
		electronic disp	olay.	
14				
15			13.	The method according to claim 11 further including the step of
16	fails	periodically cl	hanging	said display image from video data transmitted via an internet connection
17				
18			14.	The method according to claim 11 further including the step of changing
19		said display in	nage in	response to the approach of a passerby to the vicinity of said interactive
20		terminal comp	outer.	